

STEEL PROFILES FLASHLINE HARD

STRENGTHS

1	European standard EN 14195 (Determination of the resistance against the Tensile strength according to EN 6892-1), and EN 13964 (mechanical resistance to deflection in ceiling applications).
2	Pronounced longitudinal ribbing provides a more rigid structure (improving mechanical performance).
3	Surfaces to be fastened are milled for texture (to facilitate perforation by screws).
4	Pallets packaged with wooden slats (for easier handling).
5	Each product is labelled with a bar code.




5

2


1

2






4




3




AXONOMETRIC VIEW FOR METALSTAMPI PRODUCTS STEEL PROFILES FOR WALL AND SUSPENDED CEILING



Pos.	Description	Code
1	U-TRACK U/40/75/40/0.6	PU75403000
2	U-TRACK U/30/28/30	PU28303000
3	C-STUD C/27/60/27	PC60273000BI
4	C-STUD C/50/74/47/3000/0.6	PC75503000
5	SLAB	
6	PLASTERBOARD COVERING	
7	WALLS	




section B-B
(1:10)




section A-A
(1:10)


U-TRACK 0,6 mm

30/28/30

Code	Description	Dimension and thickness	Weight per pallet	MI per pkg.	Application	Sales unit
	U-Track/30/28/30	b 28 h 30 t 0,6				
PU28303000	U/30/28/30/3000/0,6	l 3000	431,57	900,00	suspended ceiling (only perimeter U-track) false wall	300 total pieces 25 package with 12 pieces each
PU28304000	U/30/28/30/4000/0,6	l 4000	575,43	1200,00		





Code	Description	Dimension and thickness	Weight per pallet	MI per pkg.	Application	Sales unit
	U-Profil/30/28/48	b 28 h 48 t 0,6				
PU28483000	U/30/28/48/3000/0,6	l 3000	480,00	960,00	suspended ceiling (only perimeter U-track) double wall	320 total pieces 20 package with 16 pieces each




U-TRACK 0,6 mm

40/50/40 - 40/75/40 - 40/100/40 - 40/125/40 - 40/150/40


Code	Description	Dimension and thickness	Weight per pallet	MI per pkg.	Application	Sales unit
	U-Track/40/50/40	b 50 h 40 t 0,6			false wall partition wall	120 total pieces 15 package with 8 pieces each
PU50403000	U/40/50/40/3000/0,6	l 3000	213,84	360,00		
PU50404000	U/40/50/40/4000/0,6	l 4000	285,12	480,00		




axonometric view scale 1:5




front view scale 1:2


Code	Description	Dimension and thickness	Weight per pallet	MI per pkg.	Application	Sales unit
	U-track /40/75/40	b 75 h 40 t 0,6			false wall partition wall	120 total pieces 15 package with 8 pieces each
PU75403000	U/40/75/40/3000/0,6	l 3000	256,61	360,00		
PU75404000	U/40/75/40/4000/0,6	l 4000	342,14	480,00		




axonometric view scale 1:5




front view scale 1:2


Code	Description	Dimension and thickness	Weight per pallet	MI per pkg.	Application	Sales unit
	U-track /40/100/40	b 100 h 40 t 0,6			false wall partition wall	120 total pieces 15 package with 8 pieces each
PU100403000	U/40/100/40/3000/0,6	l 3000	295,49	360,00		
PU100404000	U/40/100/40/4000/0,6	l 4000	393,98	480,00		




axonometric view scale 1:5




front view scale 1:2


Code	Description	Dimension and thickness	Weight per pallet	MI per pkg.	Application	Sales unit
	U-track/40/125/40	b 125 h 40 t 0,6			false wall partition wall	80 total pieces 20 package with 4 pieces each
PU125403000	U/40/125/40/3000/0,6	l 3000	228,00	240,00		
PU125404000	U/40/125/40/4000/0,6	l 4000	304,00	320,00		




axonometric view scale 1:5




front view scale 1:2


Code	Description	Dimension and thickness	Weight per pallet	MI per pkg.	Application	Sales unit
	U-track/40/150/40	b 150 h 40 t 0,6			false wall partition wall	80 total pieces 20 package with 4 pieces each
PU150403000	U/40/150/40/3000/0,6	l 3000	256,80	240,00		
PU150404000	U/40/150/40/4000/0,6	l 4000	342,40	320,00		



axonometric view scale 1:5




front view scale 1:2





profile drilling plan view scale 1:2


C-STUD 0,6 mm

27/60/27

Code	Description	Dimension and thickness	Weight per pallet	MI per pkg.	Application	Sales unit
	C-stud C/27/60/27 rounded edge	b 28 h 30 t 0,6				
PC60273000BA	C/27/60/27/3000/0,6	l 3000	206,06	360,00	suspended ceiling false wall	120 total pieces 15 package with 8 pieces each
PC60274000BA	C/27/60/27/4000/0,6	l 4000	274,75	480,00		





Code	Description	Dimension and thickness	Weight per pallet	MI per pkg.	Application	Sales unit
	C-stud C/27/60/27 angled edge	b 28 h 30 t 0,6				
PC60273000BI	C/27/60/27/3000/0,6	l 3000	206,06	360,00	suspended ceiling false wall	120 total pieces 15 package with 8 pieces each
PC60274000BI	C/27/60/27/4000/0,6	l 4000	274,75	480,00		




C-STUD 0,6 mm

50/49/47 - 50/74/47 - 50/99/47 - 50/124/47 - 50/149/47

Code	Description	Dimension and thickness	Weight per pallet	MI per pkg.	Application	Sales unit
	C-stud C/50/49/47	b 49 h 50 t 0,6				
PC50502500	C/50/49/47/2500/0,6	l2500	223,56	300,00		
PC50502700	C/50/49/47/2700/0,6	l2700	241,45	324,00		
PC50502800	C/50/49/47/2800/0,6	l2800	250,39	336,00		
PC50503000	C/50/49/47/3000/0,6	l3000	268,27	360,00		
PC50503200	C/50/49/47/3200/0,6	l3200	286,16	384,00		
PC50503500	C/50/49/47/3500/0,6	l3500	312,98	420,00		
PC50504000	C/50/49/47/4000/0,6	l4000	357,70	480,00		
PC50504500	C/50/49/47/4500/0,6	l4500	402,41	540,00		
PC50505000	C/50/49/47/5000/0,6	l5000	447,12	600,00		
PC50506000	C/50/49/47/6000/0,6	l6000	536,54	720,00	false wall partition wall	120 total pieces 15 package with 8 pieces each
		other lengths upon request				




axonometric view scale 1:5




front view scale 1:2


Code	Description	Dimension and thickness	Weight per pallet	MI per pkg.	Application	Sales unit
	C-stud C/50/74/47	b 74 h 50 t 0,6				
PC75502500	C/50/74/47/2500/0,6	l 2500	259,20	300,00		
PC75502700	C/50/74/47/2700/0,6	l 2700	280,00	324,00		
PC75502800	C/50/74/47/2800/0,6	l 2800	290,30	336,00		
PC75503000	C/50/74/47/3000/0,6	l 3000	311,04	360,00		
PC75503200	C/50/74/47/3200/0,6	l 3200	362,88	384,00		
PC75503500	C/50/74/47/3500/0,6	l 3500	414,72	420,00		
PC75504000	C/50/74/47/4000/0,6	l 4000	466,56	480,00		
PC75504500	C/50/74/47/4500/0,6	l 4500	518,40	540,00		
PC75505000	C/50/74/47/5000/0,6	l 5000	570,24	600,00		
PC75505500	C/50/74/47/5500/0,6	l 5500	570,24	660,00		
PC75506000	C/50/74/47/6000/0,6	l 6000	622,08	720,00	false wall partition wall	120 total pieces 15 package with 8 pieces each
		other lengths upon request				




axonometric view scale 1:5




front view scale 1:2


Code	Description	Dimension and thickness	Weight per pallet	MI per pkg.	Application	Sales unit
	C-stud C/50/99/47	b 99 h 50 t 0,6				
PC100502500	C/50/99/47/2500/0,6	l 2500	294,00	300,00		
PC100502800	C/50/99/47/2800/0,6	l 2800	329,28	336,00		
PC100503000	C/50/99/47/3000/0,6	l 3000	353,81	360,00		
PC100503200	C/50/99/47/3200/0,6	l 3200	377,40	384,00		
PC100503500	C/50/99/47/3500/0,6	l 3500	411,60	420,00		
PC100504000	C/50/99/47/4000/0,6	l 4000	471,74	480,00		
PC100504500	C/50/99/47/4500/0,6	l 4500	529,30	540,00		
PC100505000	C/50/99/47/5000/0,6	l 5000	588,00	600,00		
PC100505500	C/50/99/47/5500/0,6	l 5500	646,80	660,00		
PC100506000	C/50/99/47/6000/0,6	l 6000	705,60	720,00	false wall partition wall	120 total pieces 15 package with 8 pieces each
		other lengths upon request				




axonometric view scale 1:5




front view scale 1:2


Code	Description	Dimension and thickness	Weight per pallet	MI per pkg.	Application	Sales unit
	C-stud C/50/124/47	b 124 h 50 t 0,6				
PC125503000	C/50/124/47/3000/0,6	l 3000	266,40	240,00		
PC125504000	C/50/124/47/4000/0,6	l 4000	355,20	320,00		
PC125505000	C/50/124/47/5000/0,6	l 5000	444,00	400,00	false wall partition wall	80 total pieces 20 package with 4 pieces each
PC125506000	C/50/124/47/6000/0,6	l 6000	532,80	480,00		
		other lengths upon request				




axonometric view scale 1:5




front view scale 1:2


Code	Description	Dimension and thickness	Weight per pallet	MI per pkg.	Application	Sales unit	
	C-stud C/50/149/47	b 149 h 50 t 0,6					
PC150503000	C/50/149/47/3000/0,6	l 3000	292,80	240,00	false wall partition wall	80 total pieces 20 package with 4 pieces each	
PC150504000	C/50/149/47/4000/0,6	l 4000	390,40	320,00			
PC150505000	C/50/149/47/5000/0,6	l 5000	488,00	400,00			
PC150506000	C/50/149/47/6000/0,6	l 6000	585,60	480,00			
		other lengths upon request					



axonometric view scale 1:5




front view scale 1:2




profile drilling plan view scale 1:2


90° KNURLING CORNER BEAD MADE OF STEEL L/25/25

PF2505.Z.250 - PF2505.Z.275 - PF2505.Z.300


Code	Description	Dimension and thickness	Weight per pallet	MI per pkg.	Application	Sales unit
	90° knurling corner bead made of steel L/25/25	b 25,5 h 25,5 t 0,5				
PF2505.Z.250	L/25/25/2500/0,50	12500	196,00	1250,00	false wall partition wall	500 total pieces, 50 package with 10 pieces
PF2505.Z.275	L/25/25/2750/0,50	12750	214,00	1350,00		
PF2505.Z.300	L/25/25/3000/0,50	13000	236,00	1500,00		



axonometric view scale 1:2



side view scale 1:2



side view scale 1:2

IMPORTANT RECOMMENDATIONS FOR USING AND STORING PRODUCTS

CE MARKING

Please note that each product is part of a hanging/connection kit for connecting to the upper anchoring system and to the supporting element in dry construction systems **for use inside buildings**.

The various components are identified in the catalogue and price list with the CE logo.

Each CE product has a Declaration of Performance (DOP).

Durability: class B (Components of a building exposed to variable relative humidity up to 90% and to variable temperatures up to 30°C but with no exposure to corrosive pollution agents).

RECOMMENDATIONS FOR STORING METAL FRAMING ELEMENTS

We recommend to store packages in a covered area with a relatively dry atmosphere and as constant a temperature as possible, to avoid condensation that could consume the passivation coat protecting the galvanised surface.

If stored outdoors (**not recommended**), please cover so as to ensure the material is fully protected against adverse weather conditions (rain, fog, snow), making sure the packages are stored in a slightly inclined position. The cover must nevertheless ensure sufficient airflow (the two surfaces must not be in direct contact) so that moisture does not settle and create condensation.

GENERAL SALES CONDITIONS

- Payment for orders must comply with the terms established upon confirmation of order.
- The order will be filled, shipped and delivered in the shortest time possible.
- No claims for damage, even partial may therefore be made in case of delay.
- The cost of transportation and packaging will be included in the sales price, unless the order is below the established quantity for a minimum order.
- No returns will be accepted for custom orders under any condition.
- Returns (only for standard products) will be accepted with a depreciation of 30% of purchase value (for re-packaging and handling expenses), in unopened boxes and upon verification of the condition of the material, and within no more than a year of production.
- The transportation for the return of materials will be at the expense of the customer
- 24-month warranty for design and production flaws is guaranteed from the delivery date.
- All disputes shall be subject to the exclusive jurisdiction of the court of Treviso.

© COPYRIGHT 2024 METALSTAMPI SRL (TV) - ITALY

All rights reserved and subject to industrial property protection. Weights and dimensions are for guidance only.

Metalstampi reserves the right, at any time and without notice, to make technical modifications or changes in construction or dimensions in order to improve production.

CONNECT STEEL™, CONNECT GUMMY SYSTEM™, CONNECT EVOLUTION™ AQUAFRAME ERGONOMIC™, JOIN SYSTEM™, JOIN SYSTEM AIR STOP™, WHITEBOX™, FLASHLINE HARD™, FLASHLINE EAGLE™, FLASHLINE ACCESSORIES™ and their translations are all trademarks of Metalstampi Srl (TV) Italy.

The product images on the catalogue, price list and packaging are provided for illustrative purposes only.

METALSTAMPI srl

Head Office

Production Plant -

Accessories

Vicolo Biban, 7

31030 Biban di Carbonera

Treviso - Italy

Tel. +39 0422 398250

Production Plant - Profiles

Via Giovanni Amendola, 5

31020 Villorba

Treviso - Italy

info@metalstampi.com

www.metalstampi.com

